


TUNER PIN LOCATOR

For Schaller, Sperzel and Fender guitar tuning machines



(3+3 / using a straight edge across treble side tuner screw hole to bass side tuner screw hole)



(6-in-line / measured from side edge of peghead)

This hard coated aluminum jig lets you drill an accurately located pin hole in the back of the peghead, for a left or right side tuning machine, using your hand drill. The Tuner Pin Locator keeps the drill bit perpendicular to the peghead for accuracy.

It will Locate:

***Schaller / Fender two pin** (top row of three - outer two holes) #38 drill size


***Sperzel single pin** (top row of three - middle single silver rimmed hole) #38 drill size

***Schaller M6 two pin** (bottom row of three - outer two holes) 3/32" or #42 drill size

***Schaller / Fender single pin** (bottom row of three - middle single hole) #38 drill size

The Tuner Pin Locator fits a 3/8" dia. peghole, but will also work in a 10 millimeter dia. peghole by using the self centering cone washer.

Use a #38 drill bit (.101) for all holes except for the Schaller M6 two pin that requires a 3/32" or #42 drill bit (.093) and adjust the depth to 11/16". This is measured from the outer bottom cutting edge of drill bit to its stopping point. Mark your drill bit with tape or use a stop collar.



Once the Tuner Pin Locator is lined up by using a straight edge, ruler or its built in center point, make sure the thumb screw is tightened against the cone washer securing the hard coated metal block to the peghead.



The **Tuner Pin Locator** is designed and manufactured by **Brown's Guitar Factory Corp.** and is not to be represented as a product of Schaller, Sperzel or Fender.

StewMac[®]
tools + ideas for guitarmaking

21 N. Shafer St. • Box 900 • Athens, Ohio 45701 - USA
USA & Canada call toll-free: 800-848-2273 • Fax: 740-593-7922
stewmac.com